

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L48	1	L47 and ((button with (backlight or (back adj light) or backlit or (luminance intensity brightness illumination)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:10
L47	36	L46 and ((portable or "handheld" or (hand adj held) or mobile) near3 (telephone or phone or PDA or "personal digital assistant"))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:09
L46	428	L45 and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:09
L45	1417	235/472.01.ocls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:09
L43	1	(discard\$3) near7 (photometer or photodetector or (light adj (sensor or meter))) same averag\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07
L41	2	range same threshold same (ignore or aberrant) same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07
L39	0	(range near3 threshold) same (ignore or aberrant) same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07

L38	107	(range near3 threshold) same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07
L36	0	"out of range" same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07
L34	0	("out of range" same signal) same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07
L33	0	((("out of range") near3 signal) same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 14:07
L32	43	((ignore or aberrant or discard or disregard) near3 signal) same (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:45
L31	1	L30 and (ignore or discard or disregard or min\$3 or max\$3) with ((light adj (detector or sensor)) or photodetector or photometer)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:44
L30	192	(L24 or L26 or L28) and (portable or "handheld" or (hand adj held) or mobile or telephone or PDA or "personal digital assistant")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:43
L28	156	L27 and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:43

L27	459	345/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:43
L26	207	L25 and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:43
L25	1793	345/102.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2009/04/23 13:43
L24	8	715/864.ccls. and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:43
L19	211	L18 and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:40
L18	2012	345/102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:40
L16	156	L15 and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:40
L15	459	345/207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:40
L13	8	715/864.ccls. and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:40
L12	69	345/589.ccls. and (photometer or photodetector or (light adj (sensor or meter)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:40
L11	3	L7 and ((button with brightness luminance intensit \$3)) same ((light adj (detector or sensor)) or photodetector or photometer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:22

L10	5	L7 and ((button with (backlight or (back adj light))) same ((light adj (detector or sensor)) or photodetector or photometer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:21
L9	2	L7 and ((button with (backlight or (back adj light))) with ((light adj (detector or sensor)) or photodetector or photometer))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:21
L8	53	L7 and ((ignore or error or aberrant or incorrect) near3 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:19
L7	809	L6 and (ambient adj (light or brightness))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:19
L6	2389	(notebook or laptop or phone or PDA or "Personal digital assistant" or "palm pilot" or (handheld near3 (comput\$3 or device))) and (((light adj (detector or sensor)) or photodetector or photometer) with (second or third or plural\$3 or multiple or many))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:18
L4	0	(L2 or L1) and (display and (sensor or photodetector or light) and ignore). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:15
L3	1	(L2 or L1) and (display and (sensor or photodetector or light) and signal). CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:15
L2	6	cheri-yann.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:15

L1	4	escande-thierry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/04/23 13:15
----	---	---------------------	--	----	----	---------------------

4/ 23/ 2009 2:12:28 PM

C:\ Documents and Settings\ ACaschera\ My Documents\ EAST\ Workspaces  
\ 09842561 \_Cheri.wsp